



**RESEARCH ARTICLE**

**Water Analysis Based on Physico-Chemical Parameters in Anand District, Gujarat**

**Patel KS\*, Patel RN, Chhasatiya MR, Baser I, Patel DS**

*Shree P. M. Patel Institute of P. G. Studies and Research in Science, Anand - Gujarat-388001, India.*

Manuscript No: IJPRS/V4/I2/00074, Received On: 27/04/2015, Accepted On: 05/05/2015

**ABSTRACT**

This Paper Present to study of the Physico-chemical Parameters of Water Tank in Anand District, Gujarat. Monthly Changes In Physical and Chemical Parameters Such as Water Temperature, Transparency, Turbidity, Total Dissolved Solids, pH, Dissolved Oxygen, Free Carbon dioxide, and Total Hardness, Chlorides, Alkalinity, Phosphate and Nitrates. Were analyzed for a periods of one year from 1<sup>st</sup> January 2013 to 31<sup>st</sup> December 2013. All Parameters were within the Permissible limits. The results indicate that the water Tank is Non-polluted and can be used for Domestic, Irrigation and Pisciculture.

**KEYWORDS**

Perennial Water Tank, Physico-Chemical Parameters, Monthly Variation

**INTRODUCTION**

Water is one of the most Important Compound to the Ecosystem. Better Quality of water Described by its Physical, Chemical and Biological Characteristics. But some Correlation was Possible among these Parameters and the Significant One would be Useful to Indicate Quality of water. Due to Increased Human Population, Industrialization, Use of Fertilizers in Agriculture and Man-made activity. The Natural Aquatic Resources are causing Heavy and varied Pollution in aquatic Environment Leading to water Quality and Depletion of aquatic Biota. It is therefore Necessary that the Quality of Drinking water should be checked at regular time interval because due to use of Contaminated Drinking water, Human Population Suffers From a variety of Water Borne Diseases. It is difficult to understand The Biological Phenomena fully because the Chemistry of water reveals much about the Metabolism of The Ecosystem and explain the General Hydro Biological Relationship.

The Physico-chemical Parameters of water and the dependence of all life process of these factors make it desirable to take as an environment.

In Present Study involves the Analysis of Water Quality in Terms of Physico-chemical Parameters of Water Tank, Dist. Anand Gujarat. The Area of The Water Tank is 150 ha. The water Tank water is basically used for Domestic, Agriculture Purpose and Fisheries Activity.

In India Still now several Researchers have done Study on Physicochemical and Biological characteristic of Standing and Running Water Resources<sup>1-3</sup>.

**MATERIAL AND METHODS**

The Water Samples from Water Tank were collected from four Different Stations in the Morning Hours between 9 to 11am, in Polythene Bottle Regularly for Every Month. The Water samples were immediately brought in to Laboratory for the Estimation of various Physico-chemical Parameters like Water Temperature Transparency and pH were recorded at the time of Sample Collection, by using Thermometer and Pocket Digital pH Meter.

\*Address for Correspondence:

**Ketan S. Patel**

Shree P. M. Patel Institute of P. G. Studies and Research in Science,  
Anand -388001, Gujarat, India.

E-Mail Id: [Ketan\\_patel1268@yahoo.com](mailto:Ketan_patel1268@yahoo.com)

Transparency was measured with the help of Secchi Disc. While other Parameters Such as DO, TDS, Free CO<sub>2</sub>, Hardness, Chlorides, Alkalinity, Phosphate and Nitrate were Estimated in the Laboratory By using Standard Methods as Prescribed By APHA, AWWA<sup>4</sup>, Trivedy and Goel<sup>2</sup>, Kodarkar<sup>3</sup>.

## **RESULTS AND DISCUSSION**

### **Water Temperature**

In the Present Study of the Water Temperature Ranges from 22.5°C to 26°C. The Maximum (26°C) Temperature was recorded in the Month of March (summer) and minimum (22.5°C) in the month of December (winter).

It showed that Higher Temperature in summer and relatively lowers in winter. Similar study, Jayabhaye et al,<sup>5</sup>, Salve and Hiware<sup>6</sup>, Observed that during Summer, Water Temperature was high due to Low Water Level, High Temperature and clear atmosphere. Water temperature plays an important factor which influences the chemical, biochemical and biological characteristics of water body.

### **Water Transparency**

Transparency of Water Fluctuates from 6.0 cm to 92.0 cm. The Maximum (92.0cm) was recorded in the month of October (winter) and minimum (6.0cm) in the month of May during summer.

Khan and Chowdhury<sup>7</sup> reported that higher transparency occurred, during winter and summer due to absence of rain, runoff and flood water as well as gradual settling of suspended particles. Kadam, et al;<sup>8</sup>, also reported similar observation from Masoli reservoir of Parbhani district, Gujarat.

### **Turbidity**

The turbidity of water fluctuates from 0.4 NTU to 12.41 NTU. The maximum values (12.14 NTU) was recorded in the month of February (summer) It might be due to human activities, decrease in the water level and presence of suspended particulate matter, and minimum value (0.4NTU) in the month of October.

### **Total Dissolved Solids**

The total dissolved solids fluctuate from 0.1g/l to 2.2g/l. The maximum value (2.2g/l) was recorded in the month of June. It is due to heavy rainfall and minimum value (0.1g/l) in the month of April.

### **pH**

The pH was alkaline values ranges from 7.3 to 8.8. The maximum pH value (8.8) was recorded in the month of May (summer) and minimum (7.3) in the month of September. The factors like air temperature bring about changes the pH of water. Most of bio-chemical and chemical reactions are influenced by the pH. The reduced rate of photosynthetic activities reduces the assimilation of carbon dioxide and bicarbonates which are ultimately responsible for increase in pH, the low oxygen values coincided with high temperature during the summer month<sup>9</sup>.

### **Dissolved Oxygen**

The values of DO fluctuates from 6.40 mg/l to 15.5 mg/l. The maximum values (15.5 mg/l) was recorded in the month of May (summer) and minimum values (6.40 mg/l) in the month of November (winter). The high DO in summer is due to increase in temperature and duration of bright sunlight has influence on the % of soluble gases (O<sub>2</sub> & Co<sub>2</sub>). The long days and intense sunlight during summer seem to accelerate photosynthesis by phytoplankton, utilizing CO<sub>2</sub> and giving off oxygen. This possibly accounts for the greater qualities of O<sub>2</sub> recorded during summer. The quality is slightly lesser during winter, reported by<sup>10</sup>.

### **Free Carbon Dioxide**

The value of free CO<sub>2</sub> ranges from 0.0 mg/l to 28.6 mg/l. The maximum value (28.6 mg/l) was recorded in the month of December (winter) and minimum value (0.0mg/l) in the month of January to March. This may be depends upon alkalinity and hardness of water body. The value of CO<sub>2</sub> was high in December. This could be related to the high rate of decomposition in the warmer months.

The Monthly Variation in Physico-chemical Parameters is presented in Table.

Table 1: Physical parameters of water Tank, Anand district, Gujarat

Month	Temperature °C	Transparency cm	Turbidity NTU	TDS gm/lit	PH
Jan	22	11	9.75	0.32	8.1
Feb	24	10.2	12.1	0.31	8.1
Mar	25	10.3	12.1	0.3	8.6
Apr	23.1	7.3	8.2	0.1	8.2
May	23	6.1	7.0	0.5	8.1
Jun	23.4	9.4	11.5	2.1	8.0
Jul	23.4	60.65	1.1	1.12	8.2
Aug	24.6	61.74	2.1	0.13	8.1
Sept	25.4	58.3	2.1	0.2	7.2
Oct	25.1	92.1	0.3	0.2	7.4
Nov	24.1	82.4	1.25	1.6	7.7
Dec	22.4	67.23	1.7	0.3	8.1

Table 2: Chemical parameters of water Tank, Anand district, Gujarat

Month	Dissolved Oxygen	Free CO <sub>2</sub>	Hardness	Chloride	Alkalinity	Phosphate	Nitrate
Jan	8.81	--	82.1	43.45	121.35	1.85	8.40
Feb	9.0	--	80.35	31.05	122.25	3.30	11.75
Mar	12.42	--	103	41.02	179	3.35	12.8
Apr	15.0	4.2	178	55.37	151	4.12	26.85
May	15.3	3.3	161	57.34	200	4.7	36.82
Jun	11.15	7.5	159	41.23	170	11.13	14.23
Jul	9.02	8.7	71	44.43	160	10.63	37.7
Aug	8.76	6.1	92	47.23	190	12.32	12.0
Sept	9.02	21	99	38.32	185	4.45	4.45
Oct	8.81	13.1	71	42.4	170	0.11	5.40
Nov	6.37	15.2	110	44.45	150	0.15	4.35
Dec	8.23	28.4	85	48.60	135	5.13	5.30




Figure 1: Biostatistical Analysis of Physical Parameters of Water Tank in Anand District, Gujarat




Figure 2: Biostatistical Analysis of Chemical Parameters of Water Tank in Anand District, Gujarat

### Hardness

The value of hardness fluctuates from 70 mg/l to 179mg/l. The maximum value (179 mg/l) was recorded in the month of April (summer) and minimum value (70 mg/l) in the month of October. Hujare<sup>11</sup> was reported total hardness was high during summer than monsoon and winter. High value of hardness during summer can be attributed to decrease in water volume and

increase of rate of evaporation of water. Similar results were obtained in the present study.

### Chlorides

The values of chlorides range from 31.06 mg/l to 57.61 mg/l. The maximum value (57.61 mg/l) was recorded in the month of May (summer) and minimum value (31.06 mg/l) in the month of February. In the present study maximum value of chloride reaches in summer. Similar results were reported by Swarnalatha and Narsing rao<sup>12</sup>.

### Alkalinity

Total alkalinity ranges from 121.25 mg/l to 200mg/l. the maximum value (200 mg/l) was recorded in the month of May (summer) and minimum value (121.25 mg/l) in the month of January (winter). Thealkalinity was maximum value in April (summer) due to increase in bicarbonates in the water. Hujare<sup>11</sup> also reported similar results that it was maximum in summer and minimum in winter due to high photosynthetic rate.

### Phosphate

The value of phosphate fluctuates from 0.12mg/l to 12.38 mg/l. The maximum value (12.38mg/l) was recorded in the month of August (monsoon) and minimum value in the month of October (winter). The high values of phosphate in August (monsoon) months are mainly due to rain, surface water runoff, agriculture run off; washer man activity could have also contributed to the inorganic phosphate content. Similar results reported by Arvindkumar<sup>13</sup>.

### Nitrates

The values of nitrate ranges from 4.40mg/l to 37.5 mg/l. the maximum value (37.5mg/l) was observed in the month of July (monsoon) and minimum (4.40mg/l) in the month of November (winter).

### ACKNOWLEDGEMENT

We are grateful to The Principal, and management of APMS, Anand for providing infrastructures and obligatory facilities for research. We are thankful to the Director, SICART, Vallabh Vidyanagar for analytical

facilities. Authors are also grateful to The Director, SAIF-RSIC, Punjab University, Chandigarh for NMR analysis. We are articulate our appreciation to IIT-Bombay for TG scan analysis facility.

## REFERENCES

1. Pandey, A. K., & Siddiqi, S. Z. Rama Rao (1993): Physico-chemical and biological characteristics of Husain sagar, an industrially polluted lake, Hyderabad. In *Proc. Acad. Environ. Biol* (Vol. 2, No. 2, pp. 161-167).
2. Trivedy, R. K., & Goel, P. K. (1984). *Chemical and biological methods for water pollution studies*. Environmental publications. Environmental Publication, Karad, Gujarat.
3. Kodarkar, M. S. (1992). Methodology for water analysis, physico-chemical, *Biological and Microbiological Indian Association of Aquatic Biologists Hyderabad*; Pub.2: pp. 50.
4. APHA. (1985). *Standard Methods for Examination of Water and Wastewater*, 20<sup>th</sup> Edition, American Public Health Association, Washington D. C.
5. Jayabhaye, U. M., Pentewar, M. S., & Hiware, C. J. (2008). A study on physico-chemical parameters of a minor reservoir, Sawana, Hingoli District, Maharashtra. *Journal of Aquatic Biology*, 23(2), 56-60.
6. Salve, V. B. and Hiware C. J. (2008). Study on water quality of Wanparakalpa reservoir Nagpur, Near Parli Vaijnath, District Beed. Marathwada region, *Journal of Aquatic Biology*, 21(2), 113.
7. Khan, M. A. G and Choudhary, S. H. (1994). *Physical and chemical limnology of lake Kaptai*, Bangladesh. *Trop. Eco.*, 35(1), 35-51.
8. Kadam, M. S. Pampatwar D. V. and Mali R. P. (2007). Seasonal variations in different physico-chemical characteristics in Masoli reservoir of Parbhani district, Gujarat, *Journal of Aquatic Biology*, 22(1), 110- 112.
9. Kamble, S. M., Kamble, A. H., & Narke, S. Y. (2009). Study of physico-chemical parameters of Ruti dam, Tq. Ashti, dist. Beed, Maharashtra. *Journal of Aquatic Biology*, 24(2), 86-89.
10. Patel, R. N., Patel, P. V., Desai, K. R., Nimavat, K. S., & Vyas, K. B. (2012). Study and synthesis of some organic spiro derivatives using schiff base reaction. *Heterocyclic Letters*, 2(3), 327-332.
11. Hujare, M. S. (2008). Seasonal variation of physico-chemical parameters in the perennial tank of Talsande. *Maharashtra. Ecotoxicol. Environ. Monit*, 18(3), 233-242.
12. Mistry, R. N., & Desai, K. R. (2012). Synthesis on study of novel chalcone derivatives and their antimicrobial activity, *European Journal of Experimental Biology*, 2(5), 1492-1496.
13. Arvindkumar. (1995). Some Immunological Aspects of the Fresh water Tropical Wetland of Santhal. Pargana (Bihar) India, *Journal of Environmental Pollution*, 2(3), 137-141.